

**Reedy Creek Improvement District  
Utility Service Request (USR)**

REQUESTOR NAME: ADDRESS:  EMAIL: PHONE:	CUSTOMER'S WALT DISNEY COMPANY CONTACT: NAME:  DIVISION: PHONE:
WHO WILL PAY THE MONTHLY UTILITY BILL FOR THE SERVICE(S)?	WHO WILL PAY FOR UTILITY CONSTRUCTION - IF CUSTOMER CONTRIBUTION IS REQUIRED?
NAME: ADDRESS:  PHONE:	NAME: ADDRESS:  PHONE:
LOCATION AND TYPE OF FACILITY (TRAILER, HOTEL, ETC.)	FACILITY OPERATING HOURS  FROM _____ TO _____

TYPE OF SERVICE:    TEMPORARY _____    PERMANENT _____	UPGRADE _____    RELOCATION _____
BASIS OF DEMAND ESTIMATES BLUE SKY _____    SCHEMATIC _____    FINAL _____	DATE(S) SERVICE(S) NEEDED?

UTILITY REQUIRED	LOAD/DEMAND REQUIREMENTS	
<b>ELECTRIC</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	VOLTAGE _____ volts	*PHASE _____    *CURRENT _____ amps
<b>DOMESTIC WATER</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	AVERAGE DAY DEMAND _____ gpd FIRE FLOW _____ gpm	PEAK HOUR DEMAND _____ gpm PEAK DAY DEMAND _____ gpd
<b>SANITARY SEWER</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	AVERAGE DAY GENERATION _____ gpd	PEAK HOUR GENERATION _____ gpm
<b>RECLAIMED WATER</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	AVERAGE DAY DEMAND _____ gpd	PEAK HOUR DEMAND _____ gpm
<b>NATURAL GAS</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	ANNUAL CONSUMPTION _____ MMBTU/yr    OR _____ Therms/yr. PEAK HOUR DEMAND _____ SCF/hr    OR    TOTAL CONNECTED LOAD _____ SCF/hr REQUESTED PRESSURE _____ 7"wc    _____ 14"wc    _____ 1 psig    Other _____	
<b>CHILLED WATER **</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	PEAK DEMAND _____ tons    ANNUAL CONSUMPTION _____ kilotons/yr. REQUIRED SUPPLY PRESSURE _____ psig    REQUIRED RETURN HEAD _____ psig    OR _____ ft. PROPOSED TEMPERATURE REQUIREMENTS: _____ (T <sub>Supply</sub> , °F)    _____ (T <sub>Return</sub> , °F)	
<b>HOT WATER **</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	HTHW or LTHW:    PEAK DEMAND _____ MMBTU/hr    ANNUAL DEMAND _____ MMBTU/yr	
<b>SOLID WASTE</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	HOUSEHOLD _____ tons/day	CONSTRUCTION/DEMOLITION _____ tons/day YARDWASTE _____ tons/day
<b>RECYCLING</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	FOOD - tons/day _____	CARDBOARD - tons/day _____ MIXED OFFICE PAPER - tons/day _____    ALUMINUM/STEEL - tons/day _____

**Telephone service is not provided by RCID.** Please contact Gloria Stringer at WDW Telecommunications 407-827-2595  
(As a customer service, the following telephone request will be forwarded to WDW Telecommunications.)

<b>TELEPHONE</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	NUMBER OF LINES:    #Single Phone _____    #Multi-Phone _____    #Pay Phone _____ Is inside wiring needed?    Y / N    # Fax/Modem/Data Lines _____    Total # Lines _____
--	---

*Load breakout of demand required to support 3 phase requests and current values **Geographically limited availability ***Reedy Creek Energy Services, by contract, operates the Utilities System for the Reedy Creek Improvement District	<b>ATTACH SITE PLAN AND RETURN TO:</b> ***Reedy Creek Energy Services (RCES) ATTN: Alundra Gibbs Phone: <b>407-824-7783</b> Fax: <b>407-824-2016</b> 407-824-4123 Email: WDW.RCES.PM@disney.com
--	--