

**Reedy Creek Improvement District  
Utility Service Request (USR)**

<b>DATE OF SUBMISSION:</b>		<b>USR REQUIRES A MINIMUM OF 30 DAYS NOTICE</b>	
REQUESTOR NAME: ADDRESS:  EMAIL: PHONE:                      FAX:		CUSTOMER'S WALT DISNEY COMPANY CONTACT: NAME:  DIVISION: PHONE:	
WHO WILL PAY THE MONTHLY UTILITY BILL FOR THE SERVICE(S)?		WHO WILL PAY FOR UTILITY CONSTRUCTION - IF CUSTOMER CONTRIBUTION IS REQUIRED?	
NAME: ADDRESS:  PHONE:		NAME: ADDRESS:  PHONE:	
LOCATION AND TYPE OF FACILITY (TRAILER, HOTEL, ETC.)		FACILITY OPERATING HOURS	
		FROM _____ TO _____	
TYPE OF SERVICE:    TEMPORARY _____    PERMANENT _____    UPGRADE _____    RELOCATION _____			
BASIS OF DEMAND ESTIMATES:    BLUE SKY _____    SCHEMATIC _____    FINAL _____			
UTILITY REQUIRED		LOAD/DEMAND REQUIREMENTS	
<b>ELECTRIC</b> • YES • NO	DATE(S) NEEDED	VOLTAGE _____ volts    *PHASE _____    *CURRENT _____ amps	
<b>DOMESTIC WATER</b> • YES • NO	DATE(S) NEEDED	AVERAGE DAY DEMAND _____ gpd    PEAK HOUR DEMAND _____ gpm FIRE FLOW _____ gpm    PEAK DAY DEMAND _____ gpd	
<b>SANITARY SEWER</b> • YES • NO	DATE(S) NEEDED	AVERAGE DAY GENERATION _____ gpd    PEAK HOUR GENERATION _____ gpm	
<b>RECLAIMED WATER</b> • YES • NO	DATE(S) NEEDED	AVERAGE DAY DEMAND _____ gpd    PEAK HOUR DEMAND _____ gpm	
<b>NATURAL GAS</b> • YES • NO	DATE(S) NEEDED	ANNUAL CONSUMPTION _____ MMBTU/yr    OR    _____ Therms/yr. PEAK HOUR DEMAND _____ SCF/hr    OR    TOTAL CONNECTED LOAD _____ SCF/hr REQUESTED PRESSURE _____ 7"wc    _____ 14"wc    _____ l psig    Other _____	
<b>CHILLED WATER **</b> • YES • NO	DATE(S) NEEDED	PEAK DEMAND _____ tons    ANNUAL CONSUMPTION _____ kilotons/yr. REQUIRED SUPPLY PRESSURE _____ psig    REQUIRED RETURN HEAD _____ psig    OR _____ ft PROPOSED TEMPERATURE REQUIREMENTS: _____ (T <sub>Supply</sub> , °F)    _____ (T <sub>Return</sub> , °F)	
<b>HOT WATER**</b> • YES • NO	DATE(S) NEEDED	HTHW or LTHW:    PEAK DEMAND _____ MMBTU/hr    ANNUAL DEMAND _____ MMBTU/yr	
<b>SOLID WASTE</b> • YES • NO	DATE(S) NEEDED	HOUSEHOLD _____ tons/day    CONSTRUCTION/DEMOLITION _____ tons/day YARDWASTE _____ tons/day	
<b>RECYCLING</b> • YES • NO	DATE(S) NEEDED	FOOD - tons/day _____    CARDBOARD - tons/day _____ MIXED OFFICE PAPER - tons/day _____    ALUMINUM/STEEL - tons/day _____	
<b>Telephone service is not provided by RCID.</b> Please contact Gloria Stringer at WDW Telecommunications 407-827-2595 (As a customer service, the following telephone request will be forwarded to WDW Telecommunications.)			
<b>TELEPHONE</b> • YES • NO	DATE(S) NEEDED	NUMBER OF LINES: #Single Phone _____    #Multi-Phone _____    #Pay Phone _____ Is inside wiring needed?    Y / N    # Fax/Modem/Data Lines _____    Total # Lines _____	
*Load breakout of demand required to support 3 phase requests and current values **Geographically limited availability ***Reedy Creek Energy Services, by contract, operates the Utilities System for the Reedy Creek Improvement District		<b>ATTACH SITE PLAN AND RETURN TO:</b> ***Reedy Creek Energy Services (RCES) ATTN: Alundra Gibbs Phone: <b>407-824-7783</b> Fax: <b>407-824-2016</b> 407-824-4123 Email: WDW.RCES.PM@disney.com	